























CSS Specificity

di Paolo Franzese



CSS Specificity

with Plankton, Fish and Sharks

 * universal selector 0-0-0	 div 1 element 0-0-1	 li > ul 2 elements 0-0-2	 body div ... ul li p a 14 elements 0-0-14
 .myClass 1 class 0-1-0	 *.myClass 1 universal selector 1 class 0-1-0	 *[type=checkbox] 1 universal selector 1 attribute selector 0-1-0	 :only-of-type 1 pseudo-class 0-1-0
 li.myClass 1 element 1 class 0-1-1	 li[attr] 1 element 1 attribute 0-1-1	 li:nth-of-type(2n)-li 2 elements 1 pseudo-class 0-1-2	 form input[type=email] 2 elements 1 attribute 0-1-2
 li.class:nth-of-type(2n) 1 element 1 class 1 pseudo-class 0-2-1	 input[type]:not(.class) 1 element 1 class 1 attribute 0-2-1	 :nth-child(odd) :nth-type(...) 10 class/attribute/ pseudo-classes 0-10-0	 #myDiv 1 ID Selector 1-0-0
 #myDiv li.class a[href] 2 types 2 class/attribute 1 ID Selector 1-2-2	 #div1 & #myDiv # 2 ID selectors 1 type selector 2-0-1	 style="" inline style 2-0-0-0	 !important !important 1-0-0-0-0

X-0-0: The number of ID selectors

0-Y-0: The number of class selectors, attributes selectors, and pseudo-classes

0-0-Z: The number of type selectors and pseudo-elements

*, +, >, ~: The universal selector has no value and combinators do not increase specificity

!not(x): The negation selector has no value, but the argument passed increases specificity

Stacie Weyl * @stacielaw * www.stawebdesign.com * 2012



Da un articolo scritto da Paolo Franzese il 7 Ottobre 2013